



P80C

80mm Panel Printer

P80C is a solid panel printer, and a perfect solution for **easy integration**. Its dimensions are optimized for 80x80mm rolls and its **key-operated opening** provides system protection and efficient maintenance operations.



CHARACTERISTICS

1. Design

Lean design for easy integration, optimized for 80x80mm rolls

2. Built-in cutter

For full and partial cutting

3. Key-operated opening

Protected system and efficient maintenance

4. Speed

Printing quality 200 mm/s


5. Sturdiness

100KM head, 1M cuts cutter

APPLICATIONS

- Self-service kiosks
 - Indoor payment kiosks
 - Coupon
 - Weighing systems
 - Industrial equipment
-

Image not found or type unknown



TECHNICAL SHEET

Printing method	Thermal with fixed head
Resolution	203 dpi
Printing speed	Max 200 mm/s
Paper width	80 mm
Paper thickness	From 50µm to 80µm
Roll diameter	80 mm
Built-in autocutter	With partial and full cut
Interfaces	USB 2.0 full speed Serial RS232
Supported Barcodes	UPC-E, EAN8, EAN13, ITF, CODABAR, CODE39, CODE93, CODE128, PDF417, QR CODE
Character Set	European, English, American, Japanese, Korean
MTBF Cutter	1M cuts
MTBF Head	100Km (100M Pulses)
Drivers	Windows® (32/64 bit); Printer Driver Installer; Android™
Utility	Memory switch setting Utility, Logo setup tool, Firmware update
Dimensions	118.9 mm (L) x 87.1 mm (W) x 132.1 mm (H)

MODELS



915PF050100333

PRINTER P80C USB RS232

Via Berettine, 2 - 43010 Fontevivo PR - VAT: IT02498250345 - TEL: +39 0521 680111 - FAX: +39 0521 610701 - UNIQUE CODE: 8RQN7AZ

The technical data on this website are not binding and may be changed without advanced notice.

Last update: 18 July 2025